

**Characteristics:** S1137 is a high viscosity sealant based filler material delivered on rolls.

**Applications:** S1137 is used as a filler material with PERP and HTTE. Filler tape is used to fill the holiday thus restoring the mill applied coating thickness of the pipe.

**Product description:** S1137-XXXxYYYxZZZ

XXX = Width in mm

YYY = Thickness in mm

ZZZ = Length in mm

**Material properties:** Typical Softening point : 150°C  
Typical Shear strength @ 23°C : 30 N/cm<sup>2</sup> @ 50 mm/min  
Typical Peel strength @ 23°C : 55 N/cm @ 50 mm/min

**Dimensions:** Standard dimensions are:  
Width: 50 mm / 2"  
Thickness: 3 mm / 0.12"  
Length per roll: 3000 mm / 9.8 ft for PERP  
300 mm / 12" for HTTE

**Product printing & Labeling:** No printing.  
The box in which S1137 is packed, is bearing a label mentioning:  
Covalence Description  
Covalence Part Number  
Quantity  
Spec. Code

**Ordering info:** S1137 is over packed in a box.  
S1137-50x3x3000 (C6): 6 rolls per box.

For HTTE the S1137 filler is included in the kit.  
For PERP the filler needs to be ordered separately.

Berry Plastics warrants that the product conforms to its chemical and physical description and is appropriate for the use stated on the technical data sheet when used in compliance with Berry Plastics written instructions. Since many installation factors are beyond the control of Berry Plastics, the user shall determine the suitability of the products for the intended use and assume all risks and liabilities in connection herewith. Berry Plastics liability is stated in the standard terms and conditions of sale. Berry Plastics makes no other warranty either expressed or implied. All information contained in this technical data sheet is to be used as a guide and is subject to change without notice. This technical data sheet supersedes all previous data sheets on this product.



Headquarters : Berry Plastics Tapes & Coatings Division, Franklin MA, USA

**Franklin, MA, USA**  
Tel: +1 508 918 1714  
US Toll Free: +1 800 248 0149  
Fax: +1 508 918 1910  
CPG@berryplastics.com

**Houston, TX, USA**  
Tel: +1 713 676 0085  
US Toll Free: 01 888 676 7202  
Fax: +1 713 676 0086  
CPGH@berryplastics.com

**Tijuana, Mexico**  
Tel USA +1 858 633 9797  
Fax US: +1 858 633 9740  
Tel Mexico: +52 664 647 4397  
Fax Mexico: +52 664 647 4370  
CPGTJ@berryplastics.com

**Westerlo, Belgium**  
Tel. +32 14 722500  
Fax +32 14 722570  
CPGE@berryplastics.com

**Baroda, India**  
Tel: +91 2667 264721  
Fax: +91 2667 264724  
CPGIN@berryplastics.com