






Wirebrush foam pigs are constructed of polyurethane foam with a durable polyurethane elastomer coating, and are embedded with wirebrush straps in a variety of patterns.



MW / HW
Criss Cross Wirebrush



GHS
Grey Hard Scale



TW
Total Wire

Features:

- Durable polyurethane foam construction for body and coating
- Carbon steel wirebrush straps
- Aggressive cleaning power
- Custom sizes available

Applications:

- Heavy to maximum scraping
- Utilized to reach negative dew point
- Hard scale removal
- GHS utilized for heaviest type of cleaning applications

Options:

- Handling rope/cable
- Transmitter cavity
- Bypass holes
- Magnets
- Double dish configuration
- Custom dimensions
- Light, medium, or heavy density foam


MATSERVICE PETRÓLEO S.R.L.

Tel: (591-3) 3484041
info@matervice.com.bo
www.matervice.com.bo
Av. Alemana 5to. Anillo,
c/Horizonte # 26
Santa Cruz - Bolivia

Local Distributor / Representative:

 **MSP**
MATSERVICE PETRÓLEO

For contact details of local Distributors / Representatives



MW / HW

Criss Cross Wirebrush Foam Pig

Size	Part No.		OD	Sealing Length	Total Length
	Medium	Heavy			
2"	MW02	HW02	2.30"	3"	4"
3"	MW03	HW03	3.38"	4.5"	6"
4"	MW04	HW04	4.50"	6"	8"
6"	MW06	HW06	6.63"	9"	12"
8"	MW08	HW08	8.63"	12"	16"
10"	MW10	HW10	10.63"	15"	20"
12"	MW12	HW12	12.65"	18"	24"
14"	MW14	HW14	14.38"	21"	28"
16"	MW16	HW16	16.40"	24"	32"
18"	MW18	HW18	18.50"	27"	36"
20"	MW20	HW20	20.38"	30"	40"
24"	MW24	HW24	24.38"	36"	48"
26"	MW26	HW26	26.38"	39"	52"
28"	MW28	HW28	28.38"	42"	56"
30"	MW30	HW30	30.38"	45"	60"
32"	MW32	HW32	32.38"	48"	64"
34"	MW34	HW34	34.38"	51"	68"
36"	MW36	HW36	36.38"	54"	72"
40"	MW40	HW40	40.38"	60"	80"
42"	MW42	HW42	42.38"	63"	84"
48"	MW48	HW48	48.38"	72"	96"

MATSERVICE PETRÓLEO S.R.L.


Tel: (591-3) 3484041
 info@matSERVICE.com.bo
 www.matSERVICE.com.bo
 Av. Alemana 5to. Anillo,
 c/Horizonte # 26
 Santa Cruz - Bolivia

Local Distributor / Representative:



MATSERVICE PETRÓLEO

For contact details of local Distributors / Representatives



TW

Total-Wire Wirebrush Foam Pig

Size	Part No. Heavy	OD	Sealing Length	Total Length
2"	TW02	2.20"	3"	4"
3"	TW03	3.20"	4.5"	6"
4"	TW04	4.20"	6"	8"
6"	TW06	6.20"	9"	12"
8"	TW08	8.20"	12"	16"
10"	TW10	10.25"	15"	20"
12"	TW12	12.25"	18"	24"
14"	TW14	13.50"	21"	28"
16"	TW16	15.50"	24"	32"
18"	TW18	17.50"	27"	36"
20"	TW20	19.65"	30"	40"
24"	TW24	23.70"	36"	48"
26"	TW26	25.70"	39"	52"
28"	TW28	27.80"	42"	56"
30"	TW30	29.80"	45"	60"
32"	TW32	31.80"	48"	64"
34"	TW34	33.80"	51"	68"
36"	TW36	36.00"	54"	72"
40"	TW40	40.00"	60"	80"
42"	TW42	42.00"	63"	84"
48"	TW48	48.00"	72"	96"

The standard TW is constructed of heavy density foam. Other options are available by request. Sizing is based on standard schedule steel pipe. Custom sizes are available by request.

MATSERVICE PETRÓLEO S.R.L.

Tel: (591-3) 3484041
 info@matservice.com.bo
 www.matservice.com.bo
 Av. Alemana 5to. Anillo,
 c/Horizonte # 26
 Santa Cruz - Bolivia

Local Distributor / Representative:



For contact details of local Distributors / Representatives